Click to verify

Poultry Business Plan is an outline of your overall Poultry business. The business plan should includes a 5 year financial projection, marketing plan, industry analysis, organizational overview, operational overview and finally an executive summary. Remember to write your executive summary at the end as it is considered as a snapshot of the overall business plan. You need to be careful while writing the plan as you need to consider various factors that can impact the business's success. In the varied agricultural terrain of Miami, Florida where Sarah Martinez founded Miami Cluck Farms a sustainable fowl farm. Our farm is known for its ethically bred chickens and we provide a wide selection of high-quality chicken goods such as eggs and meat among other things. Sustainability in farming where humane treatment of chickens and the availability of hormone- and antibiotic-free goods supplied locally constitute our USP. A unique selling point of Miami Cluck Farms is the direct farm-to-table delivery of healthy ethically raised chicken to Miami residents. Mission: Miami Cluck Farms is a family-run business that uses sustainable and ethical agricultural techniques to provide the Miami neighborhood chicken that is both fresh and healthy. Our commitment to rearing hens in a natural setting ensures that they are healthy and content which in turn provides our consumers with high-quality goods. Building great connections with local companies and customers is our top priority along with being transparent and providing high-quality service. Vision: Here at Miami Cluck Farms where we want to make a reputation for ourselves in the Miami area's food business by becoming an industry leader while also improving the health of our community and the environment. Our goal is to be the gold standard when it comes to ethical methods and high-quality goods in the poultry farming sector. Our long-term goals include increasing our visibility in the area, spreading awareness about the importance of sustainable agriculture and inspiring Miami residents to eat more mindfully. Industry Overview: An enormous market and room for expansion characterize the United States' poultry business which is booming and changing at a rapid pace. Predictions for the next five years indicate a market size of $56.2B with a CAGR (compound annual growth rate) of 1.7%. Several causes will contribute to this expansion such as the rising need for protein, demand for chicken and the rising need for services and goods connected to poultry. Check out this guide on how to write an executive summary? If you don't have the time to write on then you can use this custom Executive Summary Writer to save Hrs. of your precious time. Source: statista Source: mordorintelligence Source: feedandadditive Business Name:Miami Cluck Farms Founders: Sarah Martinez Management Team: Legal Structure: LLC Location: Miami Goals & Objectives: ✔Build a Strong Client Base: Focus on attracting a diverse clientele within the first year, from local grocery stores and restaurants to individual consumers ensuring a steady demand for your poultry products. ✔Enhance Brand Recognition: Develop a strong brand presence in Miami and surrounding areas through targeted marketing, collaborations with local food events and active engagement on social media platforms to highlight your farm's unique qualities and offerings. ✔Deliver High-Quality Products: Consistently offer high-quality, fresh and ethically produced poultry products that meet or surpass industry standards thereby establishing a reputation for excellence and reliability. ✔Expand Product Range and Services: Within two years to aim broaden your offerings, perhaps by introducing organic or free-range products, adding new poultry varieties or offering butchery and packaging services. ✔Achieve Financial Stability: Strive for a long-term financial model that can withstand market fluctuations by combining operational expenses with successful pricing methods and achieving consistent revenue growth in the first three years. Services: ✔Wide Range of Poultry Products: Offer a variety of poultry products, including different types of chicken meat cuts, fresh eggs and possibly other poultry varieties like ducks or turkeys to cater to varied consumer preferences. ✔Organic and Free-Range Options: For customers who are concerned about their health and who want to support sustainable practices offer organic and free-range chicken. ✔Custom Processing Services: Offer custom processing services such as butchering, packaging and specific meat cuts to cater to individual customer preferences or local businesses' needs. ✔Farm-to-Table Experience: In order to guarantee freshness and a strong relationship with your goods you may create a farm-to-table experience by enabling clients to buy straight from the farm either via farm visits or local delivery services. ✔Subscription Services: Implement a subscription model where customers can receive regular deliveries of fresh poultry products, ensuring steady business and customer loyalty. Check out 100 samples of business model canvas. Check out the 100 SWOT samples which will give you a better idea on SWOT writing process. Social Media Marketing – $15,000 (30%): ✔Utilize platforms like Instagram, Facebook and Twitter to showcase your poultry products, farm operations and sustainable farming practices. ✔Implement targeted ads to reach local households, restaurants and food enthusiasts. ✔Create a content marketing plan that showcases your poultry products' freshness, quality and ethical elements. This should include customer testimonials and informative pieces on the advantages of using responsibly reared and locally sourced chicken. Website and SEO – $10,000 (20%): ✔In order to showcase your variety of poultry products, farm narrative and client testimonials your website should be easy to use, aesthetically pleasing and educational. ✔Regularly update a blog with posts about sustainable farming practices, recipes and the benefits of fresh, locally-sourced poultry to drive organic traffic. ✔Use keywords pertaining to chicken farming, organic eggs, free-range hens and local food sources to enhance your website's visibility in search engines. Email Marketing – $5,000 (10%): ✔Develop a regular newsletter to share farm updates, special promotions and highlight seasonal products. ✔Segment your email list to tailor messages to different customer groups such as individual consumers, restaurants and grocery stores. Local Partnerships – $7,000 (14%): ✔Collaborate with local restaurants, cafes and food markets to supply them with fresh poultry products in creating mutually beneficial relationships. ✔Participate in community events, food fairs and farmers markets to increase visibility and connect with potential customers. Local Advertising – $6,000 (12%): ✔Invest in local advertising through community newspapers, magazines and local online forums. ✔Sponsor local events or initiatives to build brand recognition and community goodwill. Direct Sales and Community Outreach – $4,000 (8%): ✔Implement direct sales strategies like farm stands or delivery services to sell directly to consumers. ✔Engage in community outreach programs and educational talks to promote awareness of your poultry products and farming practices. Referral Program – $3,000 (6%): ✔Implement a referral program offering discounts or incentives to customers who refer new clients to your business. Additional Marketing Strategies: ✔Farm Tours and Events: Host farm tours and open days to engage with the community and educate them about your farming methods. ✔Sustainability Messaging: Emphasize your commitment to sustainable and ethical farming practices in all marketing materials. ✔Customer Testimonials: Encourage satisfied customers, especially local businesses, to provide testimonials or reviews that can be used in marketing materials and on social media. ✔Packaging and Branding: Invest in eye-catching, eco-friendly packaging that reinforces your brand's commitment to quality and sustainability. Online Presence and Community Engagement: ✔Professional Website: Create an interesting and easy-to-navigate website that highlights your brand's history, the methods used on your farm and the variety of chicken products you provide. Online ordering and an educational blog are two things that should be included. ✔Content Marketing: Regularly publish blog posts or articles focusing on topics like sustainable poultry farming, health benefits of your products and recipes to drive organic traffic and interest. ✔Local Directory Listings: Ensure your business is listed in local online directories and food industry portals to enhance local search visibility. ✔Partnerships: Collaborate with local restaurants, grocery stores and food markets to supply them with fresh poultry products, thereby creating mutually beneficial relationships. Product Launches and Promotions: ✔Seasonal Offerings: To entice consumers and generate excitement consider introducing seasonal items or special discounts such as chicken packages themed after the holidays. ✔Introductory Discounts: Provide initial discounts or bundle deals to encourage first-time buyers to try your products. Digital Marketing and Customer Relations: ✔Social Media Campaigns: Showcase your wares, publish testimonials from satisfied customers and provide details about your farming methods on social media sites like Instagram, Facebook and Twitter. ✔Email Marketing: Send out newsletters with updates on new products, special promotions and relevant news from your farm. ✔Loyalty Program: Implement a program to reward repeat customers such as discounts on future purchases or referral incentives. Brand Awareness and Community Involvement: ✔Local Media Outreach: Engage with local newspapers, radio stations and community channels for features, interviews and to share unique aspects of your poultry business. ✔Community Events: Take part in or support community gatherings like fairs and farmers' markets to meet new people and spread the word about your business. ✔Influencer Collaborations: Partner with local food influencers, bloggers for product reviews and increased social media exposure. Performance Tracking and Adaptation: ✔Customer Feedback: Regularly collect feedback from customers to understand their preferences and improve product offerings. ✔Analytics: Use tools like Google Analytics to track website traffic and social media engagement metrics. ✔Strategy Refinement: Be ready to adjust your marketing strategies based on performance data, changing market trends and customer feedback. The organizational overview section summarizes the company's structure and operations. It explains the organizational structure including the hierarchy of reporting relationships, ownership and responsibilities of key management personnel. This also explains how the founder's past experiences and credentials can help make the business successful. Sarah Martinez singular perspective and unwavering commitment has established herself as a trailblazing figure in the poultry industry. Sustainable farming techniques and a dedication to provide high-quality and ethically grown chicken products were the foundation of her quest. Chicken raising are now second nature to Sarah thanks to her years of practical expertise in the field. Everything from the birds' nutritional requirements to their ethical treatment is something she has a good grasp on. In order to maximize output while guaranteeing the health of her chickens she goes above and beyond conventional wisdom by using cutting-edge practices and technology. Establishing her chicken farm in Miami local produce encapsulates her entrepreneurial mentality. Creating a sustainable and ethical source of chicken goods for the community is at the heart of Sarah's business concept which goes beyond basic poultry supply. By being open and honest with her customers about where her goods come from and how good they are she hopes to build a relationship based on trust and loyalty. Sarah has made a firm commitment to sustainability and quality her business's guiding principles. Equipped with infrastructure that guarantee the birds live in ideal circumstances and following ecologically friendly procedures her farm is a demonstration of best practices in poultry farming. This promise ensures that her goods are obtained in an ethical and responsible manner and are both fresh and healthy. Chief Executive Officer (CEO) : The poultry company's overarching strategic direction and management are under your purview as CEO. Important business decisions, operations, resource management and representing the organization in industry interactions are all part of your job description. Farm Manager: Every aspect of running a chicken farm is within the purview of the farm manager. Supervising farm employees, making sure everything is safe and in order, the chickens are well taken care of and keeping the production quality high are all part of the job description. Veterinary and Animal Health Specialist: This role focuses on the health and well-being of the poultry. Duties include regular health check-ups, monitoring flock health, administering vaccinations and implementing biosecurity measures. Sales and Marketing Manager: Responsible for developing and implementing strategies to market and sell poultry products. This includes identifying market opportunities, managing customer relationships and promoting products through various channels. Customer Service Representative: Handling customer inquiries, orders and feedback this role is key to ensuring customer satisfaction and managing the business's public relations. Fresh Poultry Sales: ✔Offer a variety of poultry products, including fresh chicken, ducks and possibly other fowl. ✔Emphasize the freshness and quality of your poultry raised in a healthy and sustainable environment. Egg Production and Sales: ✔Sell fresh, farm-raised eggs, emphasizing their organic and free-range qualities. ✔Offer various sizes and packaging options for both retail and wholesale customers. Custom Processing Services: ✔Provide custom butchering and processing services such as specific cuts or packaging based on customer preferences. ✔Ensure that all processing is done humanely and meets health and safety standards. Farm-to-Table Delivery Services: ✔Implement a delivery service for local customers, offering them the convenience of fresh poultry products delivered to their doorstep. ✔Emphasize the farm-to-table aspect highlighting the local and sustainable sourcing of your products. Wholesale Distribution: ✔Supply poultry products to local restaurants, grocery stores and markets at wholesale prices. ✔Focus on building long-term relationships with business clients by offering reliable and consistent supply. In 2023, the worldwide poultry business is projected to be worth $332 billion, showcasing its dynamic and always changing nature. Projections see this industry expanding from $202 billion in 2022 to $400 billion in 2027 is a compound annual growth rate (CAGR) of 4.1%. Anything having to do with raising, processing and selling chickens or their eggs is considered part of the poultry business. As a protein staple for millions of people throughout the globe it is an important factor in ensuring food security on a global scale. Increased demand for poultry as a protein source among consumers is fueling rapid expansion in major global markets such as the US, China, Brazil and the EU making this an important and dynamic business overall. Poultry production and consumption are booming in emerging nations throughout South America, Africa and Asia due to factors including increasing wages, changing eating patterns and larger average family sizes. Both large-scale integrated producers and smallholder farms make up the business. While the former tend to dominate in terms of volume the latter are vital to regional economies and food security. Organic, free-range and antibiotic-free farming techniques are on the increase due to the growing demand for chicken products from consumers who are looking for ecologically and ethically produced options. There are number of obstacles that the sector must overcome such as disease epidemics, environmental worries and unpredictable feed prices. Producers are adjusting by putting money into biosecurity, environmentally friendly methods and effective feed management. Animal welfare and productivity are both being improved by technological advancements in breeding, nutrition, housing and digital monitoring. Other key trends and stats: ✔Poultry is a popular choice for consumers due to its affordability and efficiency. ✔Advancements in poultry farming have led to increased productivity and lower costs. ✔Poultry is perceived as a healthier protein option compared to red meat. ✔The poultry industry is a significant contributor to the global economy and job creation. ✔Poultry is a nutritious food source that provides essential vitamins and minerals. ✔Feed Costs and Supply Chain Management: Feed represents a significant portion of production costs. Strategies include negotiating better prices with suppliers, exploring alternative feed options and efficient inventory management to reduce waste. ✔Health and Biosecurity: Disease outbreaks can devastate poultry operations. Implement strict biosecurity measures, regular health checks and vaccinations to maintain flock health. ✔Market Competition and Pricing: Facing competition from larger poultry businesses and imported products focus on differentiating your products, perhaps through quality, organic or free-range attributes and competitive pricing strategies. ✔Regulatory Compliance: Stay knowledgeable about and comply with all necessary legislation involving animal welfare, food safety and environmental effect. Compliance may be better maintained with the support of regular audits and certifications. ✔Product Diversification: Spreading your products out might help you weather changes in the market. This may include a variety of chicken breeds, egg production or value-added goods such as packaged meats. ✔Flexible Pricing and Packages: Apply a sliding scale for the price of chicken products based on their quantity and category. Customers ranging from individuals to big businesses like restaurants may be catered to by offering package offers or discounts for bulk purchases. ✔Efficient Scheduling and Order Management: To make things easier you must use an online booking system to handle orders and questions. With this system, you can cater to your customers' unique demands and guarantee effective order fulfillment by offering many alternatives for order sizes and delivery timetables. ✔Investment in Quality Breeds and Feed: Focus on acquiring high-quality poultry breeds and nutritious feed. This investment is crucial in producing healthier, more robust birds, leading to better quality meat and eggs which can attract discerning customers who prioritize product quality. ✔Skilled Workforce and Continuous Training: Employ skilled workers for managing poultry and provide them with ongoing training. This ensures they are up-to-date with the best practices in poultry care, health management and biosecurity measures which are crucial for maintaining flock health and productivity. ✔Creating an Optimal Farm Environment: Maintain a farm environment that is conducive to poultry health and well-being. This includes proper housing, temperature control and ample space which are essential for healthy, productive birds. Geographic Segmentation ✔Urban vs. Rural Markets: Understand and cater to the differing needs of customers in urban areas who might prioritize convenience and packaged products compared to rural customers who might prefer live birds or bulk purchases. ✔Local Neighborhoods: In urban areas like Miami, target specific neighborhoods known for their culinary diversity or health-conscious communities with tailored products. Demographic Segmentation: ✔Age Groups: Offer products that cater to different age demographics. Younger consumers might prefer quick and ready-to-eat options while older consumers might value traditional poultry products. ✔Income Levels: Provide a range of products, from more affordable, basic poultry options to premium, organic or specialty poultry products for higher-income customers. ✔Cultural Diversity: Honor the diverse population of Miami by stocking a range of chicken items that are suitable for use in a number of dishes. Psychographic Segmentation: ✔Health-Conscious Consumers: Develop and market a line of health-focused poultry products such as organic or free-range options. ✔Ethical and Eco-Friendly Consumers: Cater to those who prioritize sustainability and animal welfare with ethically raised poultry and transparent farming practices. Behavioral Segmentation: ✔Regular Buyers vs. Occasional Purchasers: Create loyalty programs or subscription services for regular customers and offer special promotions or deals for holidays and special events to attract occasional buyers. ✔Bulk Buyers: Offer bulk purchasing options at competitive prices for businesses like restaurants or small retailers. Technological Segmentation: ✔Online Shoppers: Develop an online ordering system with delivery options for tech-savvy customers who prefer shopping online. ✔Traditional Buyers: Continue to serve customers who prefer buying from physical locations such as local markets or directly from the farm. Lifestyle Segmentation: ✔Culinary Enthusiasts: Offer specialty poultry products and recipes for customers interested in gourmet cooking and culinary exploration. ✔Convenience-Oriented Consumers: Provide easy-to-cook or ready-to-eat poultry options for customers seeking convenience such as pre-marinated or pre-cut chicken. ✔The Total Addressable Market (TAM): This encompasses the whole prospective chicken product market in your chosen nation or area. All sorts of commercial organizations including homes, restaurants, grocery shops, food processing plants and more make up this vast market for chicken goods. Population growth, changing eating habits and the demand for various poultry products (e.g., organic chicken, turkey and eggs) all contribute to the total market potential in the poultry business which in turn determines the size of the total addressable market (TAM). ✔Serviceable Addressable Market (SAM): This is the market that your company has a reasonable chance of successfully penetrating. Geographic reach, poultry product specialty and manufacturing capacity are some of the criteria used to categorize businesses in this way. A firm that sells a variety of traditional chicken items would have a different SAM than one that specializes in organic poultry goods. The geographic component will also determine your SAM if your distribution network can only serve a certain area or group of cities. ✔The Serviceable Obtainable Market (SOM) : Here you may find the percentage of your SAM that, considering your present company skills and competitive positioning, you should be able to capture. Considerations like as production capacity, pricing tactics, brand recognition, marketing and sales efficacy and the quality of your poultry goods all play a role in this measure. To help you concentrate your operational and strategic choices on gaining and extending your share in the most important areas of the market, the SOM provides a realistic objective for your organization in terms of sales and revenue. Market Demand and Industry Trends ✔Consumer Preferences: Trends like the increasing demand for organic, free-range, or specialty poultry products are shaping consumer preferences and buying habits. ✔Health and Dietary Trends: The growing awareness of healthy eating habits and protein-rich diets can boost the demand for poultry products. Competition ✔Diverse Competitors: Your competition ranges from local small-scale poultry farms to large commercial suppliers. Differentiating your business through product quality, ethical farming practices or niche markets (like antibiotic-free poultry) is crucial. ✔Market Positioning: Whether targeting local markets or aiming for broader distribution, understanding and strategically positioning yourself in the market is key to staying competitive. Technological Advances ✔Farming Technology: Advancements in farming technology can enhance the efficiency and sustainability of your poultry production. ✔Digital Presence: Leveraging online platforms for marketing and direct sales can broaden your customer reach and offer convenience. Regulatory Environment ✔Food Safety Regulations: Compliance with food safety and animal welfare regulations is critical in the poultry industry. ✔Environmental Regulations: Adhering to environmental standards and practices can influence your operational methods and public image. Economic Factors ✔Pricing Strategy: Economic conditions and consumer purchasing power impact pricing strategies. Offering a range of products to cater to different market segments can be beneficial. ✔Cost Fluctuations: Managing fluctuations in feed and maintenance costs effectively is crucial for maintaining profitability. The financial model has all the important financial statements including Income Statement, Balance Sheet and Cash Flow Statement. In addition, the financial model includes 3 to 5 years of projections and can be edited using Microsoft Excel or Google Sheets. Share — copy and redistribute the material in any medium or format for any purpose, even commercially. Adapt — remix, transform, and build upon the material for any purpose, even commercially. The licensor cannot revoke these freedoms as long as you follow the license terms. Attribution — You must give appropriate credit , provide a link to the license, and indicate if changes were made . You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. ShareAlike — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original. No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits. You do not have to comply with the license for elements of the material in the public domain or where your use is permitted by an applicable exception or limitation . No warranties are given. The license may not give you all of the permissions necessary for your intended use. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material. Part of animal husbandry "Chicken coup" redirects here. For the UK Labour Party leadership challenge against Jeremy Corbyn, see 2016 Labour Party leadership election (UK). Bank of cages for layer hens[1]Agriculture History West Asia Ancient Egypt Ancient Greece Ancient Rome Austronesia Agricultural science Agricultural History Review Arab Agricultural Revolution Argentina Canada China Chile Columbian exchange Green Revolution Indian subcontinent Mesoamerica Middle Ages Neolithic Revolution Organic farming Palestine Peru United Kingdom British Agricultural Revolution Cheshire Scotland United States African-American California On land Agrivoltaic Animal husbandry cattle pigs poultry sheep Dairy Dryland Extensive Fertilizer Free-range Grazing Convertible husbandry Rotational grazing Hobby Intensive animals pigs crops Natural Monoculture Orchard Organic Paddy field Ranching Sharecropping Sowing Colonia Slash-and-burn Smallholding Terrace Steam sterilization Hydroculture Aquaculture Aquaponics Hydroponics Aeroponics Related Agribusiness Agricultural cooperative Agricultural supplies Agricultural science Agricultural engineering Agricultural technology Precision Biotechnology Agroforestry Agronomy Animal husbandry Animal-free agriculture Cash crop Cellular agriculture Cultural methods Contract farming Extensive farming Farm Farmhouse Feed ratio Free range Horticulture Intensive farming animals pigs crops Mechanised agriculture Organic farming Paludiculture Permaculture Plantation Polyculture Rice-duck farming Rice-fish system Sustainable agriculture Sustainable food system Universities and colleges Urban agriculture Lists Agriculturist profession Agricultural machinery Food origins Government ministries Universities and colleges Categories Agricultural machinery Agriculture by country Agriculture companies Biotechnology Cannabis cultivation History of agriculture Livestock Meat industry Poultry farming Agriculture and the environment Agriculture portalvte Poultry farming is the form of animal husbandry which raises domesticated birds such as chickens, ducks, turkeys and geese to produce meat or eggs for food. Poultry – mostly chickens – are farmed in great numbers. More than 60 billion chickens are killed for consumption annually.[2][3] Chickens raised for eggs are known as layers, while chickens raised for meat are called broilers.[4] In the United States, the national organization overseeing poultry production is the Food and Drug Administration (FDA). In the UK, the national organization is the Department for Environment, Food and Rural Affairs (DEFRA). Poultry farm in South Africa, showing black terrain in foreground after controlled burn to stimulate new growth of nutritious grass Biomass of birds on Earth[5] Chicken and other poultry (70%) Wild birds (30%) According to the World Watch Institute, 74 percent of the world's poultry meat, and 68 percent of eggs are produced intensively.[6] One alternative to intensive poultry farming is free-range farming using lower stocking densities. Poultry producers routinely use nationally approved medications, such as antibiotics, in feed or drinking water, to treat disease or to prevent disease outbreaks. Some FDA-approved medications are also approved for improved feed utilization.[7] A chicken coop or hen house is a structure where chickens or other fowl are kept safe and secure. There may be nest boxes and perches in the house. There is a long-standing controversy over the basic need for a chicken coop. One philosophy, known as the "fresh air school", holds that chickens are mostly hardy but can be brought low by confinement, poor air quality and darkness, hence the need for a highly ventilated or open-sided coop with conditions more like the outdoors, even in winter.[8] However, others who keep chickens believe they are prone to illness in outdoor weather and need a controlled-environment coop. This has led to two housing designs for chickens: fresh-air houses with wide openings and nothing more than wire mesh between chickens and the weather (even in Northern winters), or closed houses with doors, windows and hatches which can shut off most ventilation.[9] Commercial hens usually begin laying eggs at 16–21 weeks of age, although production gradually declines soon after from approximately 25 weeks of age.[10] This means that in many countries, by approximately 72 weeks of age, flocks are considered economically unviable and are slaughtered after approximately 12 months of egg production,[11] although chickens will naturally live for 6 or more years. In some countries, hens are force moulted to re-invigorate egg-laying. Environmental conditions are often automatically controlled in egg-laying systems. For example, the duration of the light phase is initially increased to prompt the beginning of egg-laying at 16–20 weeks of age and then mimics summer day length which stimulates the hens to continue laying eggs all year round; normally, egg production occurs only in the warmer months. Some commercial breeds of hen can produce over 300 eggs a year.[12] Baby free-range chicken in Ishwarganj Upazila, Mymensingh, Bangladesh Commercial free range hens in the Scottish Borders Free-range chickens being fed outdoors Chicken coop in Ghana Main article: Free range Free-range poultry farming allows chickens to roam freely for a period of the day, although they are usually confined in sheds at night to protect them from predators or kept indoors if the weather is particularly bad. In the UK, the Department for Environment, Food and Rural Affairs (DEFRA) states that a free-range chicken must have day-time access to open-air runs during at least half of its life. Unlike in the United States, this definition also applies to free-range egg-laying hens, meaning they can still be confined in high stocking densities with limited outdoors access.[clarification needed] The European Union regulates marketing standards for egg farming which specifies a minimum condition for free-range eggs that "hens have continuous daytime access to open air runs, except in the case of temporary restrictions imposed by veterinary authorities".[13] The RSPCA "Welfare standards for laying hens and pullets" indicates that the stocking rate must not exceed 1,000 birds per hectare (10 m2 per hen) of range available and a minimum area of overhead shade/shelter of 8 m2 per 1,000 hens must be provided. Free-range farming of egg-laying hens is increasing its share of the market. DEFRA figures indicate that 45% of eggs produced in the UK throughout 2010 were free range, 5% were produced in barn systems and 50% from cages. This compares with 41% being free range in 2009.[14] Suitable land requires adequate drainage to minimise worms and coccidial oocysts, suitable protection from prevailing winds, good ventilation, access and protection from predators. Excess heat, cold or damp can have a harmful effect on the animals and their productivity.[15] Free range farmers have less control than farmers using cages in what food their chickens eat, which can lead to unreliable productivity,[16] though supplementary feeding reduces this uncertainty. In some farms, the manure from free range poultry can be used to benefit crops.[17] The benefits of free-range poultry farming for laying hens include opportunities for natural behaviours such as pecking, scratching, foraging and exercise outdoors.[18] Both intensive free-range poultry and "cage-free" farming with hens still being confined in close proximity due to high stocking densities have animal welfare concerns. Cannibalism, feather pecking and vent pecking can be common, prompting some farmers to use beak trimming as a preventative measure, although reducing stocking rates would eliminate these problems.[19] Diseases can be common and the animals are vulnerable to predators.[19] Barn systems have been found to have the worst bird welfare.[19] In South-East Asia, a lack of disease control in free range farming has been associated with outbreaks of avian influenza.[20] Instead of keeping them in cages, free-run laying hens roam freely within an enclosed barn. This type of housing also provides enrichment for the hens, including nesting boxes and perches that are often located along the floor of the barn. Many believe that this type of housing is better for the bird than any caging system, but it has its disadvantages, too. Due to the increase in activity of the birds, dust levels tend to elevate and the air quality decreases. When air quality drops, so does production as this compromises the health and welfare of both birds and their caretakers.[21] In organic systems in the US, organic management starts with the selection of the livestock and should begin "no later than the second day of life".[22] Organic poultry production requires organic management in nutrition, preventative health care, living conditions, handling/processing, and record keeping.[22] The Soil Association standards[23] used to certify organic flocks in the UK indicate a maximum outdoors stocking density of 1,000 birds per hectare and a maximum of 2,000 hens in each poultry house. In the UK, organic laying hens are not routinely beak-trimmed. Main article: Yarding Yarding poultry farm While often confused with free range farming, yarding is actually a separate method by which a hutch and fenced-off area outside are combined when farming poultry. The distinction is that free-range poultry are either totally unfenced, or the fence is so distant that it has little influence on their freedom of movement. Yarding is a common technique used by small farms in the Northeastern U.S. The birds are released daily from hutches or coops. The hens usually lay eggs either on the floor of the coop or in baskets if provided by the farmer. This husbandry technique can be complicated if used with roosters, mostly because of their aggressive behavior. Poultry farm using battery cages in India Main article: Battery cageThe majority of hens in many countries are housed in battery cages, although the European Union Council Directive 1999/74/EC[24] has banned the conventional battery cage in EU states from January 2012. As of April 1, 2017, no new battery cages are able to be installed in Canada.[25] Farmers must move towards enriched housing or use a cage-free system. In 2016, the Egg Farmers of Canada announced that the country's egg farmers will be transitioning away from conventional hen housing systems (battery cages) and have no conventional caging left by 2036.[26] Batteries are small cages, usually made of metal in modern systems, housing 3 to 8 hens. The walls are made of either solid metal or mesh, and the floor is sloped wire mesh to allow the feces to drop through and eggs to roll onto an egg-collecting conveyor belt. Water is usually provided by overhead nipple systems, and food in a trough along the front of the cage replenished at regular intervals by a mechanical system. Battery cages are arranged in long rows as multiple tiers, often with cages back-to-back (hence the term). Within a single barn, there may be several floors containing battery cages meaning that a single shed may contain many tens of thousands of hens. Light intensity is often kept low (e.g. 10 lux) to reduce feather pecking and vent pecking. Benefits of battery cages include easier care for the birds, floor-laid eggs (which are expensive to collect) are eliminated, eggs are cleaner, capture at the end of lay is expedited, generally less feed is required to produce eggs, broodiness is eliminated, more hens may be housed in a given house floor space, internal parasites are more easily treated, and labor requirements are generally much reduced. In farms using cages for egg production, there are more birds per unit area; this allows for greater productivity and lower food costs.[27] Floor space ranges upwards from 300 cm2 per hen. EU standards in 2003 called for at least 550 cm2 per hen.[28] In the US, the current recommendation by the United Egg Producers is 67 to 86 in2 (430 to 560 cm2) per bird.[29] The space available to battery hens has often been described as less than the size of a piece of A4 paper (623 cm2).[30] Animal welfare scientists have been critical of battery cages because they do not provide hens with sufficient space to stand, walk, flap their wings, perch, or make a nest, and it is widely considered that hens suffer through boredom and frustration through being unable to perform these behaviours.[31] This can lead to a wide range of abnormal behaviours, some of which are injurious to the hens or their cagemates. Main article: Furnished cages In 1999, the European Union Council Directive 1999/74/EC[24] banned conventional battery cages for laying hens throughout the European Union from January 1, 2012; they were banned previously in other countries including Switzerland. In response to these bans, development of prototype commercial furnished cage systems began in the 1980s. Furnished cages, sometimes called 'enriched' or 'modified' cages, are cages for egg-laying hens which have been designed to allow the hens to perform their "natural behaviors" whilst retaining their economic and husbandry advantages, and also provide some of the welfare advantages of non-cage systems. Many design features of furnished cages have been incorporated because research in animal welfare science has shown them to be of benefit to the hens. In the UK, the DEFRA "Code for the Welfare of Laying Hens"[32] states furnished cages should provide at least 750 cm2 of cage area per hen, 600 cm2 of which should be usable; the height of the cage other than that above the usable area should be at least 20 cm at every point and no cage should have a total area that is less than 2000 cm2. In addition, furnished cages should provide a nest, litter such that pecking and scratching are possible, appropriate perches allowing at least 15 cm per hen, a claw-shortening device, and a feed trough which may be used without restriction providing 12 cm per hen. Furnished cages (Enriched) give the hens more space than the conventional battery cages, so that each bird may spread their wings without touching one another if desired. Enrichment such as nest boxes, perches, and dust baths are also provided so that the birds may carry out their natural behaviors such as nesting, roosting, and scratching as though they were outdoors. Enrichment of laying hen cages ultimately results in better bone quality.[33] This is a result of the increased activity in the hens from the additional space and enrichment provided in the furnished housing system. Although the enriched housing system has its advantages such as reduced aggression towards one another and cleaner eggs, modern egg laying breeds often suffer from osteoporosis which results in the chicken's skeletal system being weakened. During egg production, large amounts of calcium are transferred from bones to create egg-shell. Although dietary calcium levels are adequate, absorption of dietary calcium is not always sufficient, given the intensity of production, to fully replenish bone calcium. This can lead to increases in bone breakages, particularly when the hens are being removed from cages at the end of laying. Osteoporosis may be prevented by free range and cage-free housing systems, as they have shown to have a beneficial impact on the skeletal system of the hens compared to those housed in caged systems.[34] Countries such as Austria, Belgium and Germany are planning to ban furnished cages until 2025 additionally to the already banned conventional cages.[35] Main article: Urban chicken keeping Raising chickens in urban or suburban environments is experiencing a resurgence in popularity in many countries including the United States. Proponents of this practice cite benefits such as access to fresh eggs, natural pest control, educational opportunities, and a connection to sustainable food practices.[36] While commercial operations typically use leghorn chickens, many other breeds such as the Bantam are well-suited for urban settings.[37][38] The practice faces legal and regulatory hurdles; many cities have specific ordinances regarding the number of chickens allowed, coop size, and potential noise and odor issues.[39] Concerns surrounding predation from wild carnivores[40] such as raccoons,[41] heavy metal exposure,[42][43] potential reduction in property values,[44] Salmonella,[45][46] avian flu,[47][48] animal welfare,[49] and potential conflicts with neighbors also exist. Despite these challenges, urban chicken keeping continues to gain traction as a part of the broader local food movement and a way for individuals to increase their self-sufficiency.[50] Main article: Broiler industry Broilers in a production house Meat chickens, commonly called broilers, are floor-raised on litter such as wood shavings, peanut shells, and rice hulls, indoors in climate-controlled housing. Under modern farming methods, meat chickens reared indoors reach slaughter weight at 5 to 9 weeks of age, as they have been selectively bred to do so. In the first week of a broiler's life, it can grow up to 300 percent of its body size.[51] A nine-week-old broiler averages over 9 pounds (4 kg) in body weight. At nine weeks, a hen will average around 7 pounds (3.2 kg) and a rooster will weigh around 12 pounds (5.5 kg), having a nine-pound (4 kg) average. Day old chicks about to drink stress pack Broilers are not raised in cages. They are raised in large, open structures known as grow out houses. A farmer receives the birds from the hatchery at one day old. A grow out consists of 5 to 9 weeks according to how big the kill plant wants the chickens to be. These houses are equipped with mechanical systems to deliver feed and water to the birds. They have ventilation systems and heaters that function as needed. The floor of the house is covered with bedding material consisting of wood chips, rice hulls, or peanut shells. In some cases they can be grown over dry litter or compost. Because dry bedding helps maintain flock health, most growout houses have enclosed watering systems ("nipple drinkers") which reduce spillage.[52] Keeping birds inside a house protects them from predators such as hawks and foxes. Some houses are equipped with curtain walls, which can be rolled up in good weather to admit natural light and fresh air. Most growout houses built in recent years feature "tunnel ventilation," in which a bank of fans draws fresh air through the house.[52] Traditionally, a flock of broilers consist of about 20,000 birds in a growout house that measures 400/500 feet long and 40/50 feet wide, thus providing about eight-tenths of a square foot per bird. The Council for Agricultural Science and Technology (CAST) states that the minimum space is one-half square foot per bird. More modern houses are often larger and contain more birds, but the floor space allotment still meets the needs of the birds. The larger the bird is grown the fewer chickens are put in each house, to give the bigger bird more space per square foot.[52] Because broilers are relatively young and have not reached sexual maturity, they exhibit very little aggressive conduct.[52] Chicken feed consists primarily of corn and soybean meal with the addition of essential vitamins and minerals. No hormones or steroids are allowed in raising chickens.[52][53] In intensive broiler sheds, the air can become highly polluted with ammonia from the droppings. In this case, a farmer must run more fans to bring in more clean fresh air. If not, this can damage the chickens' eyes and respiratory systems and can cause painful burns on their legs (called hock burns) as well as blisters on their feet. Broilers bred for fast growth have a high rate of developing leg deformities because their large breast muscles cause distortions on their developing legs and pelvis, leading to them often being unable to support their body weight. In cases where the chickens become crippled and can no longer walk, farmers have to go in and pull them out. Because of their difficulty moving, the chickens cannot change their environment to avoid heat, cold, or dirt as they would in natural conditions. The added weight and overcrowding also puts a strain on their hearts and lungs, possibly leading to Ascites. In the UK, up to 19 million broilers die in their sheds from heart failure each year. In a heat wave, if a power failure shuts down the ventilation, 20,000 chickens could die in a short period of time. In a good grow out, a farmer should sell between 92% and 96% of their flock, with a 1.80 to a 2.0 feed conversion ratio. After marketing the birds, the farmer must clean out and prepare for another flock. A farmer should average 4 to 5 grow outs a year.[54] In a "higher welfare" system, chickens are kept indoors but with more space (around 14 to 16 birds per square metre).[55] They have a richer environment for example with natural light or straw bales that encourage foraging and perching. The chickens grow more slowly and live for up to two weeks longer than intensively farmed birds. The benefits of higher welfare indoor systems are the reduced growth rate, less crowding and more opportunities for natural behaviour.[18] One example of indoor production with higher welfare production is the Better Chicken Commitment standard.[56] Turkeys on pasture at an organic farm Free-range broilers are reared under similar conditions to free-range egg-laying hens. The breeds grow more slowly than those used for indoor rearing and usually reach slaughter weight at approximately 8 weeks of age. In the EU, each chicken must have one square metre of outdoor space.[18] The benefits of free-range poultry farming include opportunities for natural behaviours such as pecking, scratching, foraging and exercise outdoors. Because they grow slower and have opportunities for exercise, free-range broilers often have better leg and heart health.[18] Organic broiler chickens are reared under similar conditions to free-range broilers but with restrictions on the routine use of in-feed or in-water medications, other food additives and synthetic amino acids. The breeds used are slower growing, more traditional breeds and typically reach slaughter weight at around 12 weeks of age.[57] They have a larger space allowance outside (at least 2 square metres and sometimes up to 10 square metres per bird).[11] The Soil Association standards[23] indicate a maximum outdoors stocking density of 2,500 birds per hectare and a maximum of 1,000 broilers per poultry house. A dual-purpose chicken is a type of chicken that may be used in the production of both eggs and meat.[58] In the past, many chicken breeds were selected for both functions. However, since the advent of laying and meat hybrids, industrial chicken breeding has made a sharp distinction between chickens with either function,[59] so that certain characteristics have been promoted to an extreme degree. Partly due to the discussion about male offspring of laying hens that are not economically viable and are usually gassed or ground alive as day-old chicks, a discussion is currently underway as to whether dual-purpose chickens have a future role on a large or smaller scale.[60] Historically, the distinction between egg and meat production did not exist. It only appeared with the development of industrial farming and the breeder's specialization (including day-old chicks). Modern laying breeds have become unable to provide enough meat to satisfy consumers accustomed to breeds selected for fattening, which are poor layers and brooders.[citation needed] In addition, the strategies for killing livestock affected by avian influenza or highly pathogenic diseases or with significant epidemiological or eco-epidemiological risks have led in a large number of family backyards to replace old mixed varieties with laying poultry or modern meat dishes.[citation needed] Faced with the criticism leveled at industrial farming (in particular concerning the killing of millions of chicks by gassing (with CO2) or even in certain cases denounced by the media by grinding live chicks, asphyxiation in plastic bags (when the animals are not buried alive or simply thrown in a dumpster), the concept of dual use is one of the possible answers, and as such supported by the Demeter network in Germany. In Switzerland, where two million chicks of hybrid laying breed are put to death every year (according to Oswald Burch, director of GalloSuisse, on SRF1 radio), these animals killed almost at birth are sold as food for animals in zoos or animal stores, or are transformed into biogas.[61] Another solution would be to analyze the sex of the embryo or fetus in the egg before the incubation phase (when the egg is still consumable) and to eliminate it from the breeding circuit to direct it to the egg sales circuit (Eggs that have not yet been incubated and fertilized can be consumed during the first days after laying, recalls Ruedi Zweifel, director of the Aviforum foundation, the competence center of the Swiss poultry farming). The universities of Leipzig and Dresden are testing ways to achieve this, but have not yet found any that are applicable in real time on an industrial scale.[62] The German company Lohmann is one of the first to have integrated this concept on a large scale, as part of its collaboration with the agricultural association Déméter.[63] It produced its own poultry by crossing lines presenting the sought-after characteristics,[64] which is a way to solve the problem of killing male chicks.[65] The dual-purpose chicken selected by the Lohmann group, the "Lohmann Dual",[66] is raised in Switzerland by a few breeders, and the Coop network decided to launch the experiment with a test on 5,000 poultry, although knowing that instead of producing up to 300 eggs per year like very good laying hens, it will only produce around 250 eggs per year, which are also smaller according to the journal of the Swiss Poultry Organization.[61] If the consumer accepts higher prices in exchange for better consideration of the animal cause, then a sector could be launched.[61] Concerning meat, Coop spokesperson Ramon Gander estimated that the demand was there and according to him "the meat has also convinced tasters".[61] Battery cages Chickens transported in a truck Animal welfare groups have frequently criticized the poultry industry for engaging in practices which they assert to be inhumane. Many animal rights advocates object to killing chickens for food, the "factory farm conditions" under which they are raised, methods of transport, and slaughter. Animal Outlook (formerly Compassion Over Killing) and other groups have repeatedly conducted undercover investigations at chicken farms and slaughterhouses which they allege confirm their claims of cruelty.[67] A common practice among hatcheries for egg-laying hens is the culling of newly hatched male chicks since they do not lay eggs and do not grow fast enough to be profitable for meat. There are plans to more ethically destroy the eggs before the chicks are hatched, using "in-ovo" sex determination.[68] Chickens are often stunned before slaughter using carbon dioxide or electric shock in a water bath. More humane methods that could be used are low atmospheric pressure stunning and inert gas asphyxiation.[69] According to animal charities, carrying chickens by their legs is inhumane. The European Commission advocates for this practice and the UK government is intending to legalize it.[70][71] Main article: Debeaking Laying hens are routinely beak-trimmed at 1 day of age to reduce the damaging effects of aggression, feather pecking and cannibalism. Scientific studies have shown that beak trimming is likely to cause both acute and chronic pain.[72][73][74][75][76][77] Severe beak trimming, or beak trimming birds at an older age, may cause chronic pain. Following beak trimming of older or adult hens, the nociceptors in the beak stump show abnormal patterns of neural discharge, indicating acute pain.[72][78][79][80] Neuromas, tangled masses of swollen regenerating axon sprouts,[81] are found in the healed stumps of birds beak trimmed at 5 weeks of age or older and in severely beak trimmed birds.[82] Neuromas have been associated with phantom pain in human amputees and have therefore been linked to chronic pain in beak trimmed birds. If beak trimming is severe because of improper procedure or done in older birds, the neuromas will persist which suggests that beak trimmed older birds experience chronic pain, although this has been debated.[83] Beak-trimmed chicks initially peck less than non-trimmed chickens, which animal behaviorist Temple Grandin attributes to guarding against pain.[84] The animal rights activist, Peter Singer, claims this procedure is bad because beaks are sensitive, and the usual practice of trimming them without anaesthesia is considered inhumane by some.[85] Some within the chicken industry claim that beak-trimming is not painful[86] whereas others argue that the procedure causes chronic pain and discomfort, and decreases the ability to eat or drink.[85][87] Main article: Antibiotics in poultry farming Antibiotics have been used in poultry farming in mass quantities since 1951, when the Food and Drug Administration (FDA) approved their use.[88] Scientists had found that chickens fed an antibiotic residue grew 50 percent faster than controls.[89] The chickens laid more eggs and experienced lower mortality and less illness. Upon this discovery, farmers transitioned from expensive animal proteins to comparatively inexpensive antibiotics and B12. Chickens were now reaching their market weight at a much faster rate and at a lower cost. With a growing population and greater demand on the farmers, antibiotics appeared to be an ideal and cost-effective way to increase the output of poultry. Since this discovery, antibiotics have been routinely used in poultry production, but more recently have been the topic of debate secondary to the fear of bacterial antibiotic resistance.[90] Poultry feed can include roxarsone or nitarsone, arsenical antimicrobial drugs that also promote growth. Roxarsone was used as a broiler starter by about 70% of the broiler growers between 1995 and 2000.[91] The drugs have generated controversy because it contains arsenic, which is highly toxic to humans. This arsenic could be transmitted through run-off from the poultry yards. A 2004 study by the U.S. magazine Consumer Reports reported "no detectable arsenic in our samples of muscle" but found "A few of our chicken-liver samples has an amount that according to EPA standards could cause neurological problems in a child who ate 2 ounces of cooked liver per week or in an adult who ate 5.5 ounces per week." The U.S. Food and Drug Administration (FDA), however, is the organization responsible for the regulation of foods in America, and all samples tested were "far less than the ... amount allowed in a food product."[92] Roxarsone, a controversial arsenic compound used as a nutritional supplement for chickens. Hormone use in poultry production is illegal in the United States.[53][93][94] Similarly, no chicken meat for sale in Australia is fed hormones.[95] Several scientific studies have documented the fact that chickens grow rapidly because they are bred to do so, not because of growth hormones.[96][97] According to Consumer Reports, "1.1 million or more Americans [are] sickened each year by undercooked, tainted chicken." A USDA study discovered E. coli (Biotype I) in 99% of supermarket chicken, the result of chicken butchering not being a sterile process.[98] However, the same study also shows that the strain of E. coli found was always a non-lethal form, and no chicken had any of the pathenogenic O157:H7 serotype.[98] Many of these chickens, furthermore, had relatively low levels of contamination.[99] Feces tend to leak from the carcass until the evisceration stage, and the evisceration stage itself gives an opportunity for the interior of the carcass to receive intestinal bacteria. (The skin of the carcass does as well, but the skin presents a better barrier to bacteria and reaches higher temperatures during cooking.) Before 1950, this was contained largely by not eviscerating the carcass at the time of butchering, deferring this until the time of retail sale or in the home. This gave the intestinal bacteria less opportunity to colonize the edible meat. The development of the "ready-to-cook broiler" in the 1950s added convenience while introducing risk, under the assumption that end-to-end refrigeration and thorough cooking would provide adequate protection. E. coli can be killed by proper cooking times, but there is still some risk associated with it, and its near-ubiquity in commercially farmed chicken is troubling to some. Irradiation has been proposed as a means of sterilizing chicken meat after butchering. The aerobic bacteria found in poultry housing can include not only E. coli, but Staphylococcus, Pseudomona, Micrococcus and others as well. These contaminants can contribute to dust that often causes issues with the respiratory systems of both the poultry and humans working in the environment. If bacterial levels in the poultry drinking water reach high levels, it can result in bacterial diarrhoea which can lead to blood poisoning should the bacteria spread from damaged intestines.[100] Salmonella too can be stressful on poultry production. How it causes disease has been investigated in some detail.[101] Main article: Avian influenza There is also a risk that crowded conditions in chicken farms will allow avian influenza (bird flu) to spread quickly. A United Nations press release states: "Governments, local authorities and international agencies need to take a greatly increased role in combating the role of factory-farming, commerce in live poultry, and wildlife markets which provide ideal conditions for the virus to spread and mutate into a more dangerous form".[102] Several dermatitis conditions are significant in chickens especially gangrenous dermatitis. GD is caused by Clostridium septicum, Clostridium perfringens type A, Clostridium sordellii, Clostridium novyi, Staphylococcus aureus, Staphylococcus xylosus, Staphylococcus epidermidis, Escherichia coli, Pasteurella multocida, Pseudomonas aeruginosa, Enterococcus faecalis, Proteus spp., Bacillus spp., Erysipelothrix rhusiopathiae, and Gallibacterium anatis var. haemolytica. Beemer et al. 1970 finds Rhodotorula mucilaginosa to cause a dermatitis in chickens easily confused with GD.[103] Farming of chickens on an industrial scale relies largely on high protein feeds derived from soybeans; in the European Union the soybean dominates the protein supply for animal feed,[104] and the poultry industry is the largest consumer of such feed.[104] Two kilograms of grain must be fed to poultry to produce 1 kg of weight gain,[105] much less than that required for pork or beef.[106] However, for every gram of protein consumed, chickens yield only 0.33 g of edible protein.[107] Changes in commodity prices for poultry feed have a direct effect on the cost of doing business in the poultry industry. For instance, a significant rise in the price of corn in the United States can put significant economic pressure on large industrial chicken farming operations.[108] Poultry production requires regular control of excrement, and in many parts of the world, production operations, especially larger operations, need to comply with environmental regulations and protections. Different from mammalian excrement, in poultry (and all birds) urine and feces are excreted as a combined manure, and the result is both wetter and higher in concentrated nitrogen. Waste can be managed wet, dry or by some combination. Wet management is particularly used in battery egg laying operations, where the waste is sluiced out with constantly or occasionally flowing water. Water is also used to clean the floors around nesting sites that are separate from open runs. Dry management particularly refers to dry litter such as sawdust that is removed as needed. Dry can also include open pasture where manure is absorbed by the existing soil and vegetation, but needs to be monitored diligently so as to not overwhelm the ground capacity and lead to runoff and other pollution problems. Both liquid sluicings and dry litter are used as organic fertilizers, but the wet bulk of liquid manure is harder to ship and is often limited to more local use, while the latter is easier to distribute in bulk and in commercial packaging. Mortality is a daily consideration for poultry farmers, and the carcasses must be disposed of in order to limit the spread of disease and the prevalence of pests. There are a variety of methods of disposal, the most common being burial, composting, incineration, and rendering. Environmental concerns surrounding each of these methods deal with nutrient pollution into the surrounding soil and groundwater – because of these concerns, in many countries and US states the practice of burial in pits is heavily regulated or disallowed.[109] Farmers may construct their own facilities for composting, or purchase equipment to begin incineration or storage for rendering.[110] Composting offers a safe and practical use for the organic material, while proper management of a composting site limits odor and presence of pests.[111] Incineration offers a swifter disposal method, but uses fuel energy and thus brings varying costs.[112] Rendering has the advantage of being handled off site, and the use of freezers can eliminate the spread of pathogens in storage awaiting pickup. Government organizations, like the USDA, may offer financial assistance to farmers looking to begin utilizing environmentally friendly mortality solutions.[113] In North American production the most common predators are:[114][115] the coyote foxes, especially the red fox the bobcat mustelids weasels, especially the least weasel and long-tailed weasel birds of prey hawks, especially the red-tailed, red-shouldered, and Cooper's hawk owls, especially the great horned owl the raccoon the Virginia opossum skunks rodents snakes, especially the rat snake pet dogs and cats Poultry workers experience substantially higher rates of illness and injury than manufacturing workers do on average. For 2013, there were an estimated 1.59 cases of occupation-related illness per 100 full-time U.S. meat and poultry workers, compared to 0.36 for manufacturing workers overall.[116] Injuries are associated with repetitive movements, awkward postures, and cold temperatures. High rates of carpal tunnel syndrome and other muscular and skeletal disorders are reported. Disinfectant chemicals and infectious bacteria are causes of respiratory illnesses, allergic reactions, diarrhea, and skin infections.[117] Poultry housing has been shown to have adverse effects on the respiratory health of workers, ranging from a cough to chronic bronchitis. Workers are exposed to concentrated airborne particulate matter (PM) and endotoxins (a harmful waste product of bacteria). In a conventional hen house a conveyor belt beneath the cages removes the manure. In a cage-free aviary system the manure coats the ground, resulting in the build-up of dust and bacteria over time. Eggs are often laid on the ground or under cages in the aviary housing, causing workers to come close to the floor and force dust and bacteria into the air, which they then inhale during egg collection.[118] Oxfam America reports that huge industrialized poultry operations are under such pressure to maximize profits that workers are denied access to toilets.[119] The Food and Agriculture Organization of the United Nations estimated that in 2002 there were nearly sixteen billion chickens in the world.[120] In 2008, the top countries with the highest number of chickens in the world was led by China with the largest at approx 4.6 billion, followed by the US with approx over 2 billion and then followed by Indonesia, Brazil and Mexico.[121] In 2019, China had over 5.14 billion chickens, a higher amount than any other country in the world, followed by Indonesia with approx 3.7 billion chickens. The countries with the next-highest amounts were the US, Brazil, Pakistan,[122] Iran, India, Mexico, Russia and Myanmar respectively.[123] In 1950, the average American consumed 20 pounds (9 kg) of chicken per year, but 92.2 pounds (41.9 kg) in 2017.[124] Additionally, in 1980 most chickens were sold whole, but by 2000 almost 90 percent of chickens were sold after being butchered into parts.[125] Agriculture and Agronomy portal Chicken harvester Environmental issues with agriculture Henopause Hy-Line International Poultry farming in the United States List of largest poultry slaughtering companies in Europe ^ Appleby, M.C.; Hughes, B.O.; Elson, H.A. (1992). Poultry Production Systems: Behaviour, Management and Welfare. CAB International. ^ "Global Animal Slaughter Statistics And Charts". Faunalytics. October 10, 2018. Retrieved November 5, 2019. ^ "Compassion in World Farming – Poultry". Ciwf.org.uk. Retrieved October 3, 2018. There are more chickens in the world than any other bird. In fact, more than 50 billion chickens are reared annually as a source of food, for both their meat and their eggs. ^ "Compassion in World Farming – Poultry". Ciwf.org.uk. Retrieved October 3, 2018. Chickens farmed for meat are called broiler chickens, whilst those farmed for eggs are called egg-laying hens. ^ Damian Carrington (May 21, 2018). "Humans just 0.01% of all life but have destroyed 83% of wild mammals – study". www.theguardian.com. Retrieved August 19, 2018. ^ State of the World 2006 World Watch Institute, p. 26 ^ Food-Animal Production Practices and Drug Use. National Center for Biotechnical Information. National Academies Press (US). 1999. Retrieved February 28, 2016. ^ Woods, Prince T. (October 2008). "Fresh-Air Poultry Houses". Norton Creek Press. Retrieved April 18, 2012. ^ North and Bell, "Commercial Chicken Production Manual", 5th ed. Van Nostrand Reinhold, 1990, p 189. ^ "Performance Records of Hy-Line Grey" (PDF). Retrieved November 18, 2011.[permanent dead link] ^ a b "Compassion in World Farming – Egg laying hens". Ciwf.org.uk. Archived from the original on September 28, 2011. Retrieved August 26, 2011. ^ "How to Select the Perfect Breed of Best Egg Laying Chickens". homesteadchores.com. Retrieved October 5, 2017. ^ "European Union Regulation for marketing standards for eggs – page 25". Retrieved August 26, 2011. ^ "50% of UK eggs laid by free range hens". The Ranger. Archived from the original on April 4, 2016. Retrieved November 18, 2011. ^ Deeb, N.; Shlosberg, A.; Cahaner, A. (October 2002). "Genotype-by-environment interaction with broiler genotypes differing in growth rate. 4. Association between responses to heat stress and to cold-induced ascites". Poultry Science. 81 (10): 1454–1462. doi:10.1093/ps/81.10.1454. PMID 12412909. ^ Mapiye, C.; Mwale, M.; Mupangwa, J. F.; Chimonyo, M.; Foti, R.; Mutenje, M. J. (November 3, 2008). "A Research Review of Village Chicken Production Constraints and Opportunities in Zimbabwe". Asian-Australasian Journal of Animal Sciences. 21 (11): 1680–1688. doi:10.5713/ajas.2008.r.07. ISSN 1011-2367. ^ "Chicken Feed: Grass-Fed Chickens & Pastured Poultry". Lions Grip. Retrieved July 6, 2007. ^ a b c d "Compassion in World Farming – Poultry – Higher welfare alternatives". Ciwf.org.uk. Archived from the original on September 28, 2011. Retrieved August 26, 2011. ^ a b c Sherwin, C.; Richards, G.; Nicol, C. (2010). "A comparison of the welfare of layer hens in four housing systems used in the UK". British Poultry Science. 51 (4): 488–499. doi:10.1080/00071668.2010.502518. PMID 20924842. S2CID 8968010. ^ WSPA International>""Free-range farming and avian flu in Asia"" (PDF). wspa-international.org. Archived from the original (PDF) on June 25, 2008. Retrieved July 6, 2007. ^ David, B; et al. (2015). "Air Quality in Alternative Housing Systems May Have an Impact on Laying Hen Welfare. Part I—Dust". Animals. 3 (5): 495–511. doi:10.3390/ani5030368. PMC 4598690. PMID 26479370. ^ a b "Tipsheet: Organic Poultry Production for Meat and Eggs" (PDF). United States Department of Agriculture. ^ a b "Soil Association Standards". Retrieved December 5, 2011. ^ a b "European Union Council Directive 1999/74/EC". Retrieved November 15, 2011. ^ Allison, L. "Canada's battery cage phase-out officially begins". Canadian Federation of Humane Societies. Retrieved April 11, 2018. ^ Lambert, T (September 19, 2016). "Why 20 years? The realities of transitioning an agriculture supply chain". eggfarmers.ca. Retrieved April 11, 2018. ^ VEGA. ""Laying hens, free range and bird flu"". Archived from the original on September 26, 2022. Retrieved July 6, 2007. ^ Chickens: Layer Housing, Michael C. Appleby, Encyclopedia of Animal Science. doi:10.1081/E-EAS-120019534 ^ "Housing, space, feed and

water". United Egg Producers www.uepcertified.com. Archived from the original on February 24, 2012. Retrieved November 30, 2011. ^ "Animal Pragmatism: Compassion Over Killing Wants to Make the Anti-Meat Message a Little More Palatable". Washington Post. September 3, 2003. Archived from the original on December 3, 2012. Retrieved July 30, 2009. ^ Appleby, M.C.; J.A. Mench; B.O. Hughes (2004). Poultry Behaviour and Welfare. Wallingford and Cambridge MA: CABI Publishing. ISBN 978-0-85199-667-7. ^ "Defra Code For The Welfare Of Laying Hens" (PDF). Retrieved December 5, 2011. ^ Tactacan, G.B.; et al. (April 2009). "Performance and welfare of laying hens in conventional and enriched cages". Poultry Science. 88 (4): 698–707. doi:10.3382/ps.2008-00369. PMID 19276411. ^ Prafulla, R (2015). "Influence of housing systems on bone properties of laying hens". ProQuest Dissertations and Theses. ^ "Ecologist, September 2011". September 8, 2011. Retrieved January 22, 2012. ^ Elkhoraibi, C.; Blatchford, R. A.; Pitesky, M. E.; Mench, J. A. (November 1, 2014). "Backyard chickens in the United States: A survey of flock owners". Poultry Science. 93 (11): 2920–2931. doi:10.3382/ps.2014-04154. ISSN 0032-5791. PMID 25193256. ^ Schwanz, Lee (2014). The Backyard Chicken Book: A Beginner's Guide. EBSCO: New York: Skyhorse Publishing, Inc. 2014. ISBN 978-1-60239-745-3. ^ Denholtz, Charlotte (2012). The Modern-Day Pioneer Simple Living in the 21st Century. Adams Media. ISBN 978-1-4405-5179-6. ^ Brinkley, Catherine; Kingsley, Jacqueline Scarlett; Mench, Joy (August 1, 2018). "A Method for Guarding Animal Welfare and Public Health: Tracking the Rise of Backyard Poultry Ordinances". Journal of Community Health. 43 (4): 639–646. doi:10.1007/s10900-017-0462-0. ISSN 1573-3610. PMID 29372351. ^ Amador-Alcalá, Saúl; Naranjo, Eduardo J.; Jiménez-Ferrer, Guillermo (April 2013). "Wildlife predation on livestock and poultry: implications for predator conservation in the rainforest of south-east Mexico". Oryx. 47 (2): 243–250. doi:10.1017/S0030605311001359. ISSN 0030-6053. ^ Kays, Roland; Parsons, Arielle Waldstein (September 1, 2014). "Mammals in and around suburban yards, and the attraction of chicken coops". Urban Ecosystems. 17 (3): 691–705. Bibcode:2014UrbEc..17..691K. doi:10.1007/s11252-014-0347-2. ISSN 1573-1642. ^ Roegner, Amber; Giannitti, Federico; Woods, Leslie W; Mete, Asli; Puschner, Birgit (April 3, 2013). "Public health implications of lead poisoning in backyard chickens and cattle: four cases". Veterinary Medicine: Research and Reports. 4: 11–20. doi:10.2147/VMRR.S36083. PMC 7337163. PMID 32670839. ^ Bautista, Adrienne C.; Puschner, Birgit; Poppenga, Robert H. (September 2014). "Lead exposure from backyard chicken eggs: a public health risk?". Journal of Medical Toxicology. 10 (3): 311–315. doi:10.1007/s13181-014-0409-0. ISSN 1937-6995. PMC 4141926. PMID 24943230. ^ Pollock, S. L.; Stephen, C.; Skuridina, N.; Kosatsky, T. (June 1, 2012). "Raising Chickens in City Backyards: The Public Health Role". Journal of Community Health. 37 (3): 734–742. doi:10.1007/s10900-011-9504-1. ISSN 1573-3610. PMID 22083301. ^ Whiley, Harriet (February 26, 2015). "Salmonella and Eggs: From Production to Plate". International Journal of Environmental Research and Public Health. 12 (3): 2543–2556. doi:10.3390/ijerph120302543. PMC 4377917. PMID 25730295. ^ Behravesh, Casey Barton; Brinson, Denise; Hopkins, Brett A.; Gomez, Thomas M. (May 15, 2014). "Backyard Poultry Flocks and Salmonellosis: A Recurring, Yet Preventable Public Health Challenge". Clinical Infectious Diseases. 58 (10): 1432–1438. doi:10.1093/cid/ciu067. ISSN 1058-4838. PMC 11875001. PMID 24501387. ^ Ayala, Andrea J.; Yabsley, Michael J.; Hernandez, Sonia M. (2020). "A Review of Pathogen Transmission at the Backyard Chicken–Wild Bird Interface". Frontiers in Veterinary Science. 7: 539925. doi:10.3389/fvets.2020.539925. ISSN 2297-1769. PMC 7541960. PMID 33195512. ^ Karabozhilova, I.; Wieland, B.; Alonso, S.; Salonen, L.; Häsler, B. (August 1, 2012). "Backyard chicken keeping in the Greater London Urban Area: welfare status, biosecurity and disease control issues". British Poultry Science. 53 (4): 421–430. doi:10.1080/00071668.2012.707309. ISSN 0007-1668. PMID 23130576. ^ Dougherty, J. E.; Moses, B. D. (March 1, 1933). "Relation of Ventilation in an Electric Brooder to Health and Growth of Chicks". Poultry Science. 12 (2): 141–143. doi:10.3382/ps.0120141. ISSN 0032-5791. ^ Bieri, Dominik; Joshi, Neelakshi; Wende, Wolfgang; Kleinschroth, Fritz (February 1, 2024). "Increasing demand for urban community gardening before, during and after the COVID-19 pandemic". Urban Forestry & Urban Greening. 92: 128206. Bibcode:2024UFUG...9228206B. doi:10.1016/j.ufug.2024.128206. hdl:20.500.11850/655410. ISSN 1618-8667. ^ Ravindran, Velmurugu; Abdollahi, M. Reza (September 25, 2021). "Nutrition and Digestive Physiology of the Broiler Chick: State of the Art and Outlook". Animals. 11 (10): 2795. doi:10.3390/ani11102795. ISSN 2076-2615. PMC 8532940. PMID 34679817. ^ a b c d e "Animal Welfare For Broiler Chickens". The National Chicken Council. National Chicken Council. Archived from the original on July 12, 2012. Retrieved June 21, 2012. ^ a b "Poultry Industry Frequently Asked Questions". U.S. Poultry & Egg Association. Retrieved June 21, 2012. ^ "Compassion in World Farming – Meat chickens – Welfare issues". Ciwf.org.uk. Archived from the original on October 23, 2013. Retrieved August 26, 2011. ^ Milella, Annalisa; Cicirelli, Grazia; Distante, Arcangelo (March 7, 2008). "RFID-assisted mobile robot system for mapping and surveillance of indoor environments". Industrial Robot. 35 (2): 143–152. doi:10.1108/01439910810854638. ISSN 0143-991X. ^ Davies, Jake (May 13, 2020). "The cost and returns of slower-growing broilers : Poultry Network". Poultry.network. Retrieved March 18, 2022. ^ "Compassion in World Farming – Meat chickens". Ciwf.org.uk. Archived from the original on September 28, 2011. Retrieved August 26, 2011. ^ "Chicken Breed Selection". ^ Guus Ritzen (August 12, 2020). "Altijd maar die schaduw van die haantjes over ons heen". De Groene Amsterdammer. Archived from the original on December 9, 2022. ^ Leenstra, F.R. (2013). Marktkansen voor een combi-kip. Vermarkten van haantjes van legrassen, Rapport 739, Lelystad, Animal Sciences Group Wageningen URLeenstra, F.R. (2013). "Marktkansen voor een combi-kip. Vermarkten van haantjes van legrassen". edepot.wur.nl. ^ a b c d "La poule à double usage arrive en Suisse ; Les poules pondent et les poulets finissent dans nos assiettes. Les poussins surnuméraires de race pondeuse doivent donc être tués après la ponte. Une nouvelle race, testée en Suisse, pourrait débloquer la situation". www.24heures.ch. April 18, 2014. Retrieved January 25, 2016. ^ "La poule à double usage : le moyen de sauver les poussins mâles ?". www.tagesanzeiger.ch. ^ Nachhaltigkeits-Innovationen in der Ernährungswirtschaft: von Bio-Pionieren und konventionellen Innovationsführern, Franz-Theo Gottwald, Anke Steinbach, Behr's Verlag DE, 2011, S. 32 ^ "neue Zweinutzungshuhn, Bayerisches Fernsehen". www.br.de. December 20, 2013. ^ Marion Meyer-Radtke (2013). "Der Traum vom Wunderhuhn wird wahr". www.welt.de. ^ Dr Wiebke Icken (Lohmann Tierzucht GmbH, Cuxhaven). "Lohmann Tierzucht GmbH propose un croisement à deux fins; Lohmann Dual – viande et œufs" (PDF). Journal Aviculture Suisse – via www.aviforum.ch. ^ "Undercover Investigations :: Compassion Over Killing Investigation". Kentucky Fried Cruelty. Archived from the original on February 13, 2012. Retrieved August 26, 2011. ^ Brulliard, Karin (June 10, 2016). "Egg producers pledge to stop grinding newborn male chickens to death". The Washington Post. Retrieved June 12, 2016. ^ Andy Coghlan (February 3, 2018). "A more humane way of slaughtering chickens might get EU approval". New Scientist. ^ Siddique, Haroon (October 18, 2024). "Labour to legalise harmful practice of carrying chickens by legs, say charities". The Guardian. Archived from the original on October 18, 2024. Retrieved October 18, 2024. ^ "HOW TO HANDLE AND RESTRAIN POULTRY" (PDF). European Commission. 2018. Archived (PDF) from the original on October 14, 2022. Retrieved October 18, 2024. HOW TO CARRY POULTRY [...] BY HAND [...] Or (chickens only): Carry upside down by the chicken's legs ^ a b Breward, J., (1984). Cutaneous nociceptors in the chicken beak. Proceedings of the Journal of Physiology, London 346: 56 ^ Gentle, M.J. (1992). "Pain in birds". Animal Welfare. 1 (4): 235–247. doi:10.1017/S0962728600015189. ^ Gentle, M.J.; Hughes, B.O.; Hubrecht, R.C. (1982). "The effect of beak-trimming on food-intake, feeding behaviour and body weight in adult hens". Applied Animal Ethology. 8 (1–2): 147–157. doi:10.1016/0304-3762(82)90140-7. ^ Duncan, I.J.H.; Slee, G.S.; Seawright, E.; Breward, J. (1989). "Behavioural consequences of partial beak amputation (beak trimming) in poultry". British Poultry Science. 30 (3): 479–488. doi:10.1080/00071668908417172. PMID 2684349. ^ Gentle, M.J.; Hunter, L.N.; Waddington, D. (1991). "The onset of pain related behaviours following partial beak amputation in the chicken". Neuroscience Letters. 128 (1): 113–116. doi:10.1016/0304-3940(91)90772-l. PMID 1922938. S2CID 37075517. ^ Gentle, M.J.; Hughes, B.O.; Fox, A.; Waddington, D. (1997). "Behavioural and anatomical consequences of two beak trimming methods in 1- and 10-d-old domestic chicks". British Poultry Science. 38 (5): 453–463. doi:10.1080/00071669708418022. PMID 9510987. ^ Breward, J., (1985). An Electrophysiological Investigation of the Effects of Beak Trimming in the Domestic Fowl (Gallus gallus domesticus). Ph.D. thesis, University of Edinburgh. ^ Gentle, M.J., (1986). Beak trimming in poultry. World's Poultry Science Journal', 42: 268–275 ^ Breward, L.; Gentle, M.J. (1985). "Neuroma formation and abnormal afferent nerve discharges after partial break amputation (beak trimming) in poultry". Experientia. 41 (9): 1132–1134. doi:10.1007/BF01951693. PMID 4043320. S2CID 21290513. ^ Devor, M. and Rappaport, Z.H., (1990). Pain Syndromes in Neurology., edited by H.L. Fields, Butterworths, London, p. 47. ^ Lunam, C.A.; Glatz, P.C.; Hsu, Y-J. (1996). "The absence of neuromas in beaks of adult hens after conservative trimming at hatch". Australian Veterinary Journal. 74 (1): 46–49. doi:10.1111/j.1751-0813.1996.tb13734.x. PMID 8894005. ^ Kuenzel, W.J. (2001). "Neurobiological basis of sensory perception: welfare implications of beak trimming". Poultry Science. 86 (6): 1273–1282. doi:10.1093/ps/86.6.1273. PMID 17495105. ^ Grandin, Temple; Johnson, Catherine (2005). Animals in Translation. New York, NY: Scribner. p. 183. ISBN 978-0-7432-4769-6. ^ a b Singer, Peter (2006). In Defense of Animals. Wiley-Blackwell. p. 176. ISBN 978-1-4051-1941-2. ^ Hernandez, Nelson (September 19, 2005). "Advocates Challenge Humane-Care Label on Md. Eggs". Washington Post. Retrieved July 30, 2009. ^ "Md. Egg Farm Accused of Cruelty". Washington Post. June 6, 2001. Archived from the original on July 26, 2009. Retrieved July 30, 2009. ^ Castonon, J.R. (2011). ""History of the Use of Antibiotics"". ps.oxfordjournals.org (Poultry Science). Archived from the original on December 5, 2016. ^ Ogle, Maureen (September 3, 2013). ""Riots, Rage, and Resistance: A Brief History of How Antibiotics Arrived on the Farm"". Scientific American blogs.scientificamerican.com. Retrieved October 28, 2016. ^ Roth, Natalia (July 27, 2016). "How to reduce antibiotic resistance on poultry farms". www.wattagnet.com. Retrieved October 28, 2016. ^ Jones, F. T. (2007). "A Broad View of Arsenic". Poultry Science. 86 (1): 2–14. doi:10.1093/ps/86.1.2. PMID 17179408. ^ "Chicken: Arsenic and antibiotics". ConsumerReports.org. Retrieved March 24, 2009.[permanent dead link] ^ "The Use Of Steroid Hormones For Growth Promotion In Food-Producing Animals". www.fda.gov. ^ "Chicken from Farm to Table | USDA Food Safety and Inspection Service". Fsis.usda.gov. April 6, 2011. Archived from the original on September 3, 2011. Retrieved August 26, 2011. ^ "Landline – 5/05/2002: Challenging food safety myths". Australian Broadcasting Corp. Abc.net.au. May 5, 2002. Retrieved August 26, 2011. ^ Havenstein GB, Ferket PR, Qureshi MA (October 2003). "Carcass composition and yield of 1957 versus 2001 broilers when fed representative 1957 and 2001 broiler diets". Poult. Sci. 82 (10): 1509–18. doi:10.1093/ps/82.10.1509. PMID 14601726.[permanent dead link] ^ Havenstein GB, Ferket PR, Scheideler SE, Rives DV (December 1994). "Carcass composition and yield of 1991 vs 1957 broilers when fed "typical" 1957 and 1991 broiler diets". Poult. Sci. 73 (12): 1795–804. doi:10.3382/ps.0731795. PMID 7877935. ^ a b "Nationwide Broiler Chicken Microbiological Baseline Data Collection Program July 1994 – June 1995" (PDF). Retrieved November 6, 2012. ^ "Revised Young Chicken Baseline" (PDF). Archived from the original (PDF) on June 25, 2012. Retrieved August 26, 2011. ^ "Poultry Dipslides Tests". Retrieved March 10, 2016. ^ Yashroy, Rakesh. "Poultry production under Salmonella stress: Infection mechanisms". Research Gate. Retrieved November 18, 2014. ^ "UN task forces battle misconceptions of avian flu, mount Indonesian campaign". UN News Center. October 24, 2005. Retrieved July 24, 2009. ^ Gornatti-Churria, Carlos D.; Crispo, Manuela; Shivaprasad, H. L.; Uzal, Francisco A. (November 16, 2017). "Gangrenous dermatitis in chickens and turkeys". Journal of Veterinary Diagnostic Investigation. 30 (2). SAGE Publications: 188–196. doi:10.1177/1040638717742435. ISSN 1040-6387. PMC 6505868. PMID 29145799. ^ a b "Protein Sources For The Animal Feed Industry". Fao.org. May 3, 2002. Retrieved August 26, 2011. ^ Lester R. Brown (2003). "Chapter 8. Raising Land Productivity: Raising protein efficiency". Plan B: Rescuing a Planet Under Stress and a Civilization in Trouble. NY: W.W. Norton & Co. ISBN 978-0-393-05859-8. ^ Adler, Jerry; Lawler, Andrew (June 2012). "How the Chicken Conquered the World". Smithsonian. Archived from the original on November 5, 2012. Retrieved April 19, 2015. ^ Tom Lovell (1998). Nutrition and feeding of fish. Springer. p. 9. ISBN 978-0-412-07701-2. ^ Jonathan Starkey (April 9, 2011). "Delaware business: Chicken companies feeling pinch as corn prices soar". News Journal. Delaware Online. OCLC 38962480. Retrieved April 10, 2011. ^ Ritz, Casey (August 2017). "Mortality Management Options for Georgia Poultry Growers" (PDF). UGA Extension. ^ "Animal Mortality Disposal" (PDF). Natural Resources Conservation Service. January 2011. ^ Ritz, Casey (November 2015). "Poultry Mortality Composting Management Guide" (PDF). Extension UGA. ^ Burns, Robert (2015). "Using Incinerators for Poultry Mortality Management" (PDF). Agricultural and Biosystems Engineering. ^ "Conservations Fact Sheet : Poultry Freezers" (PDF). Natural Resources Conservation Service. April 2016. ^ "Predators of Poultry". Ohioline Ohio State University. December 20, 2018. Retrieved April 21, 2022. ^ "Predator Management for Small and Backyard Poultry Flocks". Cooperative Extension Poultry. Retrieved April 21, 2022. ^ U.S. General Accountability Office. Workplace Safety and Health: Additional Data Needed to Address Continued Hazards in the Meat and Poultry Industry. GAO-16-337. Washington, D.C. April, 2016. ^ "CDC – Poultry Industry Workers – NIOSH Workplace Safety and Health Topic". www.cdc.gov. Retrieved July 15, 2016. ^ "WCAHS Ag Health News – Aviary Housing Effects on Worker Health" (PDF). Archived from the original (PDF) on August 20, 2016. ^ "Lives on the Line: The high human cost of chicken". Oxfam America. Retrieved May 14, 2016. ^ "Chicken population". Fao.org. Retrieved August 26, 2011. ^ "The Top 5 Countries With the Most Chickens". top5ofanything.com. Retrieved April 10, 2021. ^ "Insightful Analysis of Poultry Industry in Punjab". todaychickenrate.pk. Retrieved October 31, 2024. ^ "Global number of chickens by country 2019". Statista. Retrieved April 10, 2021. ^ "Per Capita Consumption of Poultry and Livestock, 1965 to Forecast 2019, in Pounds". The National Chicken Council. Retrieved March 14, 2019. ^ "Lives on the Line" (PDF). Media related to Poultry husbandry at Wikimedia Commons Economics of dual-purpose breeds Retrieved from " Did you know that poultry farming is one of the fastest-growing sectors in the agricultural industry, with millions of consumers relying on chicken and eggs as primary sources of protein? A well-structured Poultry Farm Business Plan is essential for anyone looking to enter this lucrative field. It serves as a roadmap, outlining your business goals, strategies, and the resources you'll need to thrive. Whether you're planning to raise chickens for meat or eggs, having a solid business plan can make all the difference in your success.Understanding the components of a poultry farm business planKey factors to consider when starting your poultry farmHow to conduct market analysis for your poultry businessFinancial projections and budgeting tipsEffective marketing strategies for poultry productsImportance of operational planning in poultry farmingRisk management techniques for poultry farmersReal-life examples of successful poultry farm business plansTips for adapting your plan as your business growsResources and tools to help you write your business planUnderstanding the Components of a Poultry Farm Business PlanThe first step in crafting a poultry farm business plan is understanding its essential components. A business plan typically includes sections on your business overview, market analysis, organization structure, product line, marketing strategies, funding requirements, and financial projections. Each of these elements plays a crucial role in not just attracting investors but also guiding your day-to-day operations.For instance, your market analysis should outline who your target customers are, what their buying habits look like, and how much competition you face. If you're focusing on organic poultry, it's vital to understand the trends in consumer preferences. Knowing this can shape your entire business strategy, from the breeds you choose to raise to how you price your products.In summary, a well-structured business plan is more than just a document; it's a living guide that evolves as your business grows. The next section will dive into the critical factors you need to consider when starting your poultry farm.ComponentDescriptionBusiness OverviewOverview of your farm's mission and visionMarket AnalysisResearch on target market and competitionOrganization StructureBusiness ownership and management detailsProduct LineTypes of poultry products you'll offerMarketing StrategiesHow you plan to reach your customersFinancial ProjectionsExpected revenues, expenses, and profitabilityBusiness overview is crucial for directionMarket analysis informs strategyClear organization structure aids managementDiverse product lines can increase revenueSolid marketing strategies boost visibilityA goal without a plan is just a wish. Key Factors to Consider When Starting Your Poultry FarmWhen starting your poultry farm, several factors can significantly impact your success. First, consider the location of your farm. Proximity to markets can reduce transportation costs and improve your product's freshness. Additionally, local regulations and zoning laws can affect your operations, so it's wise to familiarize yourself with these before you start.Another critical aspect is selecting the right breed of poultry. Depending on your market, you may choose to raise broilers for meat or layers for eggs. Each breed has different care requirements, growth rates, and profitability margins. For instance, broilers typically grow faster and require a different feeding regimen than layers.In conclusion, understanding these key factors can help you lay a strong foundation for your poultry farm. The next section will focus on how to conduct a thorough market analysis for your business.Evaluate potential farm locationsResearch local zoning lawsChoose the right poultry breedAnalyze market demand for your productsAssess competition in your area– The above steps must be followed rigorously for optimal success.Conducting Market Analysis for Your Poultry BusinessMarket analysis is a critical part of your poultry farm business plan, as it helps you understand the landscape in which you'll operate. Start by identifying your target market. Are you selling directly to consumers, restaurants, or grocery stores? Each channel has different requirements and profit margins.Next, gather data on consumer preferences. For example, organic and free-range poultry products are increasingly popular, and knowing this can help you tailor your offerings. You should also analyze your competition. Identify who your competitors are, what they offer, and how you can differentiate your products.By thoroughly understanding your market, you can make informed decisions about your business strategies. The next section will delve into financial projections and budgeting tips for your poultry farm.Identify your target market clearlyUnderstand consumer preferences and trendsAnalyze competitors for better positioningDifferentiating your products to stand outMarket knowledge is power in business. Financial Projections and Budgeting TipsFinancial projections are essential for any poultry farm business plan. They provide a roadmap for your expected income and expenses, allowing you to gauge profitability over time. Start by estimating your startup costs, which may include land, equipment, feed, and livestock.Then, project your operating costs, such as utilities, labor, and veterinary care. It's crucial to be as detailed as possible. For example, if you anticipate purchasing 1,000 chicks, calculate the cost of feed and housing for them over the first few months. This level of detail helps ensure that you are prepared for the financial realities of running a poultry farm.Finally, consider your revenue projections. How much do you expect to sell your products for? What is the expected volume of sales? By creating realistic financial projections, you can better manage your cash flow and attract potential investors.TypeEstimated CostsStartup Costs$XX,XXXOperating Costs$XX,XXX/monthRevenue Projections$XX,XXX/yearCalculate all startup costsEstimate monthly operating expensesCreate realistic sales forecastsMonitor cash flow regularlyWithout a solid financial plan, your business is at risk.Effective Marketing Strategies for Poultry ProductsOnce your poultry farm is up and running, you'll need effective marketing strategies to reach your target customers. Start by building a strong online presence. Create a website showcasing your products and the unique benefits of your farm, such as organic practices or local sourcing.Social media can also be a powerful tool for engaging with customers. Share behind-the-scenes content, customer testimonials, and recipes that feature your products. Additionally, consider participating in local farmers' markets or community-supported agriculture (CSA) programs to build a loyal customer base.In summary, a comprehensive marketing strategy can help you connect with customers and boost sales. The next section will discuss the importance of operational planning in poultry farming.StrategyDescriptionOnline PresenceBuild a website and engage on social mediaLocal MarketsParticipate in farmers' markets and CSAsCustomer EngagementShare recipes and testimonialsUnique Selling PointsHighlight your farm's unique practicesDevelop a user-friendly websiteCreate engaging social media contentParticipate in local eventsPromote unique benefits of your products Importance of Operational Planning in Poultry FarmingOperational planning is crucial for running a successful poultry farm. It involves outlining the day-to-day activities needed to keep your farm running smoothly. Start by developing a schedule for feeding, cleaning, and health checks. Consistency in these areas can significantly impact the health and productivity of your flock.Additionally, consider the layout of your farm. An efficient layout can streamline operations and reduce labor costs. For example, placing feed and water stations strategically can minimize the time spent caring for the birds. A well-thought-out farm layout not only improves efficiency but also enhances animal welfare.In conclusion, a solid operational plan ensures your poultry farm runs efficiently. The next section will explore risk management techniques for poultry farmers.AreaKey ConsiderationsDaily OperationsFeeding, cleaning, and health checksFarm LayoutOptimize for efficiency and labor savingsRecord KeepingMaintain accurate records for health and productionCreate a daily operational scheduleOptimize farm layout for efficiencyKeep accurate records for monitoringRisk Management Techniques for Poultry FarmersEvery poultry farmer faces risks, from disease outbreaks to market fluctuations. One effective risk management technique is to implement biosecurity measures. This includes protocols for preventing disease, such as limiting visitor access and regularly cleaning equipment.Another strategy is diversifying your product offerings. If you primarily raise broilers, consider adding layers or specialty poultry to your farm. This diversification can help buffer against market fluctuations in one segment, ensuring a more stable income throughout the year.In summary, managing risks is vital for the sustainability of your poultry farm. The next section will provide real-life examples of successful poultry farm business plans.TechniqueDescriptionBiosecurity MeasuresImplement disease prevention protocolsProduct DiversificationOffer a variety of poultry productsInsurance CoverageObtain insurance for unexpected eventsEstablish strict biosecurity protocolsDiversify product offerings for stabilitySecure insurance coverage for protection Real-Life Examples of Successful Poultry Farm Business PlansLooking at real-life examples can provide valuable insights into effective poultry farm business plans. One notable case is a family-owned farm that transitioned from traditional practices to organic poultry production. They focused on local markets and built a strong online presence, leading to a significant increase in sales.Another example is a startup that specialized in free-range chickens. By emphasizing animal welfare and sustainability, they attracted a dedicated customer base willing to pay a premium for their products. These examples highlight the importance of adaptability and understanding market demands, which can shape the success of your own poultry business.In conclusion, learning from successful poultry farms can inspire your planning and decision-making processes. The next section will discuss tips for adapting your plan as your business grows.Successful farms adapt to market demandsEmphasizing sustainability can attract customersStrong online presence boosts visibilityAdaptability is key to long-term success.Tips for Adapting Your Plan as Your Business GrowsAs your poultry farm grows, your business plan should evolve. Regularly review your financial projections and adjust them based on actual performance. If you notice that certain products are more profitable, consider expanding those offerings to maximize your revenue potential.Additionally, stay informed about industry trends. New technologies and practices can enhance efficiency and profitability. For instance, using automated feeding systems can save labor costs and ensure consistent nutrition for your birds. Keeping your operations up-to-date will help you maintain a competitive edge in the market.In conclusion, being proactive in adapting your business plan can help you stay competitive and responsive to changes in the poultry industry. The next section will cover resources and tools to help you write your business plan.ActionDescriptionReview FinancialsRegularly update projections based on performanceExpand OfferingsFocus on profitable productsStay InformedKeep up with industry trends and technologiesRegularly review and update your business planMonitor industry trends for new opportunitiesInvest in technologies that enhance efficiency ConclusionIn conclusion, creating a comprehensive Poultry Farm Business Plan is essential for your success in the poultry industry. By understanding the components, considering key factors, conducting thorough market analysis, and developing strong financial projections, you set yourself up for success. If you're looking for a structured approach, consider using a Poultry Farm Business Plan Template that can guide you through the process.FAQ SectionWhat is a poultry farm business plan?A poultry farm business plan is a strategic document outlining your objectives, market analysis, operational strategies, and financial projections for a poultry farming venture.Why do I need a business plan for my poultry farm?A business plan is crucial for guiding your operations, attracting investors, and ensuring you have a clear strategy for growth and profitability in the poultry industry.What are the key components of a poultry farm business plan?Key components include a business overview, market analysis, financial projections, operational plans, and marketing strategies.How do I conduct a market analysis for my poultry farm?Identify your target market, analyze consumer preferences, and assess your competition to understand the demand for your poultry products.What financial projections should I include?Include estimates for startup costs, operating expenses, and revenue projections to provide a comprehensive financial outlook for your poultry farm.How can I market my poultry products effectively?Build an online presence, engage with customers on social media, and participate in local markets to promote your poultry products.What are some common risks in poultry farming?Common risks include disease outbreaks, market fluctuations, and regulatory changes that can affect your operations.How can I adapt my business plan as my farm grows?Regularly review your financial projections and stay updated on industry trends to make necessary adjustments to your business plan.What resources are available to help me write a business plan?Utilize templates from organizations like the Small Business Administration and seek advice from local farming associations for additional support.How can I ensure sustainability in my poultry farm?Implement sustainable practices such as organic farming, waste management, and responsible sourcing to enhance the environmental impact of your poultry farm.